

MATERIALS AND ACCESSORIES

CREATING AN ELEVATOR	
WALL FINISHES	6
MALL FINISHES	
FLOOR FINISHES	8
FRONT WALL FINISHES	10
CAR / LANDING DOOR FINISHES	11
CELLINGS	
CEILINGS	18
HANDRAILS	
SEATS	21
BUFFER RAILS	21
DOTT EIT TAILS	
OMETING	0.7
SKIRTING	21
TENANT DIRECTORIES AND INFO SCREENS	22
MIRRORS	22



CREATING THE PERFECT ELEVATOR

When it comes to creating a consistent look and feel throughout your building, elevators play a key role. By freely combining KONE's flexible and versatile selection of materials and accessories, you can create an elevator interior that matches your building's design perfectly.

HOW TO CREATE YOUR CUSTOM ELEVATOR DESIGN

- CHOOSE YOUR WALL, FLOOR, AND DOOR MATERIALS
 - Our wide range ensures that you can find the perfect combination to match your building's design, budget, and intended use requirements. For example, if durability and comfort are important, stone flooring is long-lasting and maintains its appearance even under heavy use, while colored or wood laminate wall finishes help to create a warm ambience inside the car. For a more exclusive look and feel, our patterned steel and 3D glass finishes can really make your elevator stand out.
- SELECT YOUR CEILING DESIGN

 KONE offers a wide range of different ceiling designs, equipped with modern and innovative lighting solutions that help create just the right atmosphere inside the elevator. Our ceilings are designed to give the best possible lighting quality while avoiding glare, ensuring every elevator trip is a pleasant and safe one. KONE's lighting solutions are also energy efficient our LED lights use 80% less energy than traditional halogen lights.
- CHOOSE YOUR ACCESSORIES

 Our accessories are designed to increase convenience for passengers, and include options such as handrails, seats, car operating panels, information screens, and tenant directories. KONE accessories have been designed to meet the specific requirements of different users and building types. For example, we offer special graphics designed for car operating panels in senior housing and children's hospitals, as well as customizable solutions for office, hotel, and retail environments.

MATERIALS AND ACCESSORIES FOR ALL PURPOSES

This catalog presents our complete selection of elevator car interior materials and accessories.

The options are grouped into two categories: standard and premium. Premium materials and accessories have been created using exclusive materials and components, and are designated with P.

Each carefully selected item has been designed to be both visually appealing and functional. The collection also contains several accessories that fulfill elevator accessibility and vandal codes.

The materials and accessories presented in this catalog are available for KONE MonoSpace[®] 500, KONE MonoSpace[®] 700, KONE MiniSpace[™], KONE ReFresh[™] 200, and KONE ReFresh[™] 800.

For more design inspiration, take a look at the KONE Design Collection car interiors and create your own design with the KONE Car Designer tool: www.kone.XX/XXXX. Consult your KONE sales contact to discuss your final interior selection and for any additional information and support.

SELECTABLE CAR ELEMENTS





Our award-winning horizontal wall panel design is visually appealing and creates a spacious feeling inside the elevator car.

Wall panel configuration

- All materials are available with vertical 2-panel per wall and horizontal 4-panel per wall designs for KONE MonoSpace® 500, KONE MonoSpace® 700, KONE MiniSpace $^{\text{TM}}$, and KONE ReFresh $^{\text{TM}}$ 800.
- KONE ReFresh™ 200 features a vertical 1-panel rear wall design. Side wall panel configuration will vary depending on car depth.

Material scaling & variability

- Patterned images not to scale. Consult your sales representative to ask about the KONE Car Designer tool and to request material samples.
- Real wood laminates are made of natural materials so variation will occur.

Premium materials



Vertical 1-panel per wall



per wall


Horizontal 4-panels per wall

Premium materials are designated by \boxed{P} . Premium materials, excluding Shangri-La Gold, are not available for KONE ReFresh 200.


Painted steel

Not available for KONE ReFresh™ 200





Etched stainless steel



Coated steel Wet-polished st. steel Metallic laminate Steel L201 Z R30 A (AISI316) L200 Acid-proof Only available for KONE MonoSpace® 500 and Zinc coated, local paint Nordic Gray Oriental Gold Oriental Bronze Due to the special characteristics of this material, the appearance of brush marks may vary between wall panels. Alignment of these markings cannot be guaranteed. or decoration Not available for KONE ReFresh $^{\text{TM}}$ 200. KONE MonoSpace® 700 EN81-71 Cat. 1 compliant Laminate L202 L203 L204 L205 Almond Oak Cherry Oak Ebony Oak Hazel Oak L206 L207 L208 L209 Mandarin Orange Lime Green Lotus Blue Snowberry White L226 L227 L228 Misty Gray Sunny Yellow Dawn Red Only available for KONE ReFresh™ 200. Only available for KONE ReFresh™ 200. Printed laminate 3D laminate L210 L212 L215 L216 Р Graphic Bamboo Windwall White Color Cool Aqua Black Real wood laminate L219 L220 L221 L222 Р Black Oak


Wenge

Oak

Walnut

Colored glass

Transparent glass
Not available for KONE ReFresh™ 200





GW11

Soho Glaze


GW1 Siberian Glaze

TW1 Glass

Patterned glass







G5* Silver Flow G7 Silver Chain

Classic Bamboo

For KONE MonoSpace® 500, glass is available for the rear wall only and is one piece. For certain KONE MonoSpace® 700 and KONE ReFresh™ 800 ranges, glass side walls are also available. Please consult your KONE sales representative for details.

Note: Patterns on the glass are mirrors.

Metal plate

Stone













ΑL Aluminum

SF30 Chalk White

SF31 Grainy Sand

SF32 Diorite Black

SF33 Brass Brown

Rubber



RC6 Dallas Black



RC20 Smoke Gray



RC21 Denver Gray



RC22 Shell Gray



RC24 Dusk Blue

Local floor

Vinyl



VF20 Ash Gray



VF22 Carbon Gray



VF23 Steel Gray




VF25 Flakey Gray




Raw surface for local finishing





Landing door types








Note: Finishing availability varies according to door type. Consult your sales representative for more information.

Stainless steel












Flemish Linen




Aqua Weave


Asturias Satin Coated steel


Murano Mirror Painted steel











R30 Nordic Gray

P50 Cloud White

Misty Gray

P55 Thunder Gray (landing door only)

Steel

Painted steel

Etched stainless steel











ES2 P Silver Bamboo

ES3 Silver High-rise

ES5 ES5 Brushed Bamboo

Raw surface for local finishing

A (AISI316) Acid-proof Only available for KONE MonoSpace® 500 and KONE MonoSpace® 700 EN81-71 Cat. 1 compliant

Glass

TW1

Patterned transparent glass









Transparent White Bamboo London Lights

KSS 140 Flush-mounted vandal-resistant signalization

KSS 280 SURFACE/FLUSH-MOUNTED SIGNALIZATION

Available with vertical paneling only EN 81-71 Cat. 1 compliant

240 225 186 Car operating panel (COP) Car operating panel (COP) Faceplate finishings: Faceplate finishings: Black polycarbonate and deep-formed brushed stainless steel, vertical Scottish Quad (K) stainless steel or Asturias Satin (F) stainless steel hairline Displays: Scrolling dot matrix Displays: Segmented LCD 877 Landing devices Landing devices 120 350 \ast 0 KSH 280 350 KSJ 280** KSC 286 KSI 143 Partial height, surface 120 350 KSI 286 mounted *HO KSC 143 100 58 58 Partial 350 height KSH 140 110 KSL 140 EN81-70 KSL 284 KSL 286 KSL 286 compliant Simplex Duplex landing call 58 station 80 KSC 276 KSC 143 KSL 280 Full height, Full height (width 225 mm) CH* to be extended flush mounted

^{*} Note: The exact height of the COP depends on the car height (CH) and the selected ceiling option.

^{**}Lantern in car

KSS 420 SURFACE-MOUNTED SIGNALIZATION

Available with vertical paneling only Not available for KONE ReFresh™ 200

175

1240 6 0 0 0 0 00 00

KSC 420 Partial height

9 9

Car operating panel (COP)

Faceplate finishings: Asturias Satin (F) stainless steel

Displays: KSC 420: 7-segment KSC 421: Dot matrix

Landing devices

KSH 470



KSI 470



KSI 471




KSL 420

KSS 470 SURFACE-MOUNTED SIGNALIZATION

Available with vertical paneling only Not available for KONE ReFresh™ 200

225



KSC 471 Full height

 $[\]ensuremath{^{\star}}$ Note: The exact height of the COP depends on $% \left(1\right) =\left(1\right) \left(1\right) =\left(1\right) \left(1\right) \left$ height (CH) and the selected ceiling option.

KSS 800 SURFACE-MOUNTED SIGNALIZATION

For KONE Destination Control System (DCS) Not available for KONE ReFresh™ 200

225 233 Car operating panel (COP) Car operating panel (COP) Faceplate finishings: Faceplate finishings: Asturias Satin (F) Black polycarbonate Murano Mirror (H) Displays:
KSC 863: Scrolling dot matrix
KSC 853 partial height also available Golden Mirror (HTIN) Displays: KSC 673: Scrolling dot matrix Width 200 mm, height 1300 mm KSC 675: Black and white LCD Landing devices Destination operating panel (DOP) Q\$ 92 120 120 350 160 19 = 350 123 (4) (5) (6) (7) (8) (9) KSH 670 KSH 660 **⊕** (0) (Ξ 150 410 KSP 853 50 410 Elevator identifier (EID) **@ @ @** KSI 673/675 150 410 KST 850 KST 860 Passive Active 410 KSA 673 95 305 reddot design award winner 2012

KSL 670

EN81-70

landing call station

compliant

KSC 673/675

Full height

KSC 863

Full height

^{*} Note The exact height of the COP depends on the car height (CH) and the selected ceiling option.

^{*} Note The exact height of the COP depends on the car height (CH) and the selected ceiling option.


225 10 ^ **♦** €

Car operating panel (COP)

Faceplate finishings: Asturias Satin (F) Murano Mirror (H) Golden Mirror (HTIN)

Displays: KSC 977: LCD display

Landing devices





KSI 983/987**



KSL 670 EN81-70 compliant landing call station

KSC 977 Full height



^{**} Note Only available for KONE MonoSpace $^{\textcircled{8}}$ 700 and KONE MiniSpace $^{\texttt{TM}}$

KONE DESIGN SIGNALIZATION

FACEPLATE ALTERNATIVES FOR KSS D-SERIES SIGNALIZATION (KSC D20, KSC D50, AND KSC D60)

The D-series signalization is available in these KONE Design Signalization alternatives, in stainless steel and with unique designs. These are KONE Design Signalization examples of the KSC D20 partial-height COP.


Partial-height COP (Width 200 mm, height 1300 mm)

Solid colors





Patterned colors



KSS D-SERIES SIGNALIZATION

KSC D20 SERIES

Partial-height COP



 \triangle Width 200 mm, Height 1300 mm

KSC D23, Brushed stainless steel

KSC D50 AND D60 SERIES

Full-height COP



UNIQUE DESIGNS

Available for partial and full-height COP



Width 225 mm, Height depends on car height (CH) and selected ceiling option

KSC D53 surface mounted and KSC D63 flush mounted, Brushed stainless steel






KSC D63

LANDING DEVICES

Hall lantern indicators

0



 $Indicator\ face plate\ material\ is\ always\ polycarbonate.\ The\ landing\ call\ stations\ are\ also\ available\ in\ stainless\ steel.$

Note: Custom designs are also available. Contact your KONE sales representative for more information.

options



Type: RL12, Integrated ceiling

Finishings: Asturias Satin (F) Cloud White (P50)

Misty Gray (P51)

Lighting: LED spotlights, round

Note: Only available for KONE MonoSpace® 500



Cloud White (P50)

Murano Mirror (H) Lighting: KONE Eco spotlights, round



Type: CL88

Finishings: Asturias Satin (F)

Cloud White (P50)

Murano Mirror (H) Lighting: LED spotlights, round



Type: RL14

Finishings: Asturias Satin (F)

Cloud White (P50)

Misty Gray (P51)

Lighting: Roof integrated, direct lighting LED panel Note: Only available for KONE MonoSpace® 500



Type: CL94

Lighting:

Finishings: Asturias Satin (F)

Cloud White (P50)

Murano Mirror (H)

T5 fluorescent tubes

Note: EN81-71 Cat. 1 compliant version available



Type: CL95

Frame finishing: Asturias Satin (F)

Murano Mirror (H)

Center panels: Cloud White (P50) painted steel

Lighting: T5 fluorescent tubes



Type: **CL97**

Lighting:

Finishing: Asturias Satin (F)

Murano Mirror (H)

LED spotlights, square

Shangri-La Gold (SS1) P



Type: CL98

Finishing:

Asturias Satin (F)

Murano Mirror (H) Lighting: LED spotlights, rectangular



Type: **CL104**

Frame finishing:

Lighting:

Type: CL151

Frame finishings: Asturias Satin (F)

Shangri-La Gold (SS1)

Lighting: LED panel with frosted white diffuser,

plain or with graphics

Graphic options for LED panel







High-Rise



Bamboo



Type: **CL162**

Finishings:

Asturias Satin (F) Murano Mirror (H)

Top panel: Lighting:

Cloud White (P50) painted steel
T5 Fluorescent tubes and LED spotlights, square



Type: **CL181**

Finishings:

Asturias Satin (F) Murano Mirror (H)

Shangri-La Gold (SS1) Vegas Gold (SS2)

Lighting: LED

See below for CL181 ceiling installed in car and page 23 for full car image.



Type: **CL193**

Frame finishing: Asturias Satin (F)

Cloud White (P50) painted steel Center panels: Lighting:

T5 fluorescent tubes



Type: LF1

Frame finishing: Asturias Satin (F)

Cloud White (P50) painted steel

Misty Gray (P51) painted steel

Lighting: T5 fluorescent tubes

Note: Only available for KONE MonoSpace® 700; EN81-71 Cat. 1 compliant version available



CL181 ceiling installed in car





HR61*
Round
Finishings:
Brushed stainless steel (F)
Mirror-polished stainless steel (H)



HR63 P
Flat
Finishings:
Brushed stainless steel (F)
Mirror-polished stainless steel (H)



HR65*
Triangular, bent ends EN 81-71 Cat. 1 compliant
Finishings:
Brushed stainless steel (F)
Mirror-polished stainless steel (H)



HR31 Round aluminum (LBE) with black end caps



HR71** Round Dark Wood with brushed stainless steel fixings (WDF)



HR62 Square Finishings: Brushed stainless steel (F) Mirror-polished stainless steel (H)



HR64*
Round, bent ends
EN 81-71 Cat. 1 compliant
Finishings:
Brushed stainless steel (F)
Mirror-polished stainless steel (H)
Golden brushed stainless steel (SS1)



HR81*
Round, side-wall and floor mounted
Finishings:
Brushed stainless steel (F)
Mirror-polished stainless steel (H)
Golden brushed stainless steel (SS1)

Not available for KONE ReFresh™ 200



HR34Round aluminum (LBE), bent ends with black end caps



HR71**
Round
Light Wood with brushed stainless
steel fixings (WLF)



F Brushed stainless steel



H P Mirror-polished stainless steel



SS1
Golden brushed stainless steel




Round, bent ends
EN 81-71 Cat. 2 compliant
Finishings:
Brushed stainless steel (F)
Only available for KONE MonoSpace® 700
and KONE MiniSpaceTM




* Also available as a continuous handrail

^{**} Golden brushed stainless steel fixings also available







Tenant directory



The printed tenant directory is completely customizable and can be easily updated according to customer

Sizes





Directories can be installed either vertically or horizontally.

TD4

Brushed stainless steel base, tempered glass door

Frame finishing: brushed or polished aluminum

Digital info screens



Standard version, 8.4" display Surface mounted


IS15

Premium offline version, 15" display* Surface mounted or flush mounted

Frame finishing: brushed or polished stainless steel

Additional features may be available. Consult your sales representative for more information.

* Note: Not available for KONE MonoSpace® 500




Sizes and positioning


Mirrors can be located on the rear and side walls of the elevator car. Mirror and handrail dimensions are determined by the wall width. Please consult your KONE sales representative for details.




MR1 Partial width/Partial height



MR1 Pull width/Partial height



MR1 Partial width/Mid height



MR1 Pull width/Full height



KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings.

We support our customers every step of the way: from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in managing the smooth flow of people and goods throughout buildings.

This makes us a reliable partner throughout the life cycle of buildings. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE MonoSpace®, KONE NanoSpaceTM and KONE UltraRope®.

KONE employs over 55,000 dedicated experts to serve you globally and locally.

KONE CORPORATION

Head office

Kartanontie 1 P.O. Box 8 FI-00331 Helsinki Finland Tel. +358 (0)204 751

Corporate offices

Keilasatama 3 P.O. Box 7 FI-02151 Espoo Finland Tel. +358 (0)204 751

www.kone.com